




Britton Lumber Company Inc.










A reliable team at your service..

Accessories

LATTICE

Product number Visual	Description	Dimensions		
ACB-TR 48 ACB-TR 28	Standard Thickness: 3/8" Spacing : 2 5/8"	4' X 8' 2' X 8'		
ACB-TRSEM	Semi-Privacy Thickness: 3/8" Spacing : 1 3/4"	4' X 8'		
ACB-TRI 48 ACB-TRI 28	Privacy Thickness: 3/8" Spacing : 1 1/4"	4' X 8' 2' X 8'		
ACB-TRSI 48 ACB-TRSI 28	Super-Privacy Thickness: 3/8" Spacing : 3/4"	4' X 8' 2' X 8'		
ACB-TRD 48	Standard- Heavy-Duty Thickness: 3/4" Spacing : 2 5/8"	4' X 8'		
ACB-TRSEM HD	Semi-Privacy Thickness: 3/4" Spacing : 1 3/4"	4' X 8'		
ACB-TRID 48 ACB-TRID 28	Privacy- Heavy-Duty Thickness: 3/4" Spacing : 1 1/4"	4' X 8' 2' X 8'		

SQUARE LATTICE

ACB-TRC 48	Standard Thickness: 3/8" Spacing : 2 1/2"	4' X 8'		
ACB-TRIC 48	Privacy Thickness: 3/8" Spacing : 1 3/8"	4' X 8'		
ACB-TRDC 48	Standard Heavy-Duty Thickness: 3/4" Spacing : 2 1/2"	4' X 8'		
ACB-TRIDC 48	Privacy- Heavy-Duty Thickness: 3/4" Spacing : 1 3/8"	4' X 8'		

Complete or mixed load available



Accessories

MOULDING

<u>Product number</u>	<u>Description</u>	<u>Dimensions</u>	<u>Visual</u>
ME 2 - DP	Moulding (End cap) Double plowed	2" x 2" x 8'	

HANDRAIL

<u>Product number</u>	<u>Description</u>	<u>Dimensions</u>	<u>Visual</u>
ACB-MCC 8	Colonial Handrail	2" x 4" x 8'	
ACB-MCC 12	Colonial Handrail	2" x 4" x 12'	



3

Britton Lumber Company Inc.

1-800-343-5300

Lath and Eastern White Cedar Shingles

Lath

Made from a rotary slicing of the log, which increases exponentially the resistance of the lath by being cut in the natural direction of the wood, this process of transformation allows uniformity, the precision and specially the consistant nature of the product.



Eastern White Cedar Shingles

A

Extra
Blue Label

Rich and uniform color
Very high quality
No defects on any surfaces

B

Clear
Red Label

Rich color
Standard quality
No defects on the exposed face (up to 6")


C

2en Clear
Black Label

Color varying from brown with beige
Economic Quality and rustic appearance
Some knots on exposed face (up to 6")

D

Utility
Green Label



10 / 10

Under course

Width of 3' ' and more
Variable colors .
Several defects accepted

9 / 9

Shimming shingle

Width of 1 1/2" to 3"
Variable colors. Several
Several defects accepted

Shim 42

Builders shim

Width 1 1/2"
Lenght 16"



Britton Lumber Company Inc.

Complete or mixed load available


1-800-343-5300 4

6' and 8' Picnic table kit

Traditional picnic table kit

Kit Components

Item	Qty	Description
A	1	Pre-assembled tabletop
B	2	Pre-assembled seats
C	4	Legs
D	2	Seat supports
E	2	45 degree arms
F	8	Carriage Bolts 3/8" X 3 1/2"
G	8	Nuts and Flat washers
H	32	Wood screw 2 1/2"



Tools Required for Assembly

1	Screwdriver square tip	4	Adjustable or socket wrench with 9/16" head
2	Hammer	5	Carpenter square
3	Tape measure		

Quantity: 7 table/unit



5

Britton Lumber Company Inc.

1-800-343-5300

Snow fence

The snow fence offers you a longer lifespan
and a traditional appearance

Species

Aspen #1

Advantages


High quality Lath
Higher resistance and flexibility

Lengths available

*25 , 50 , 100
* Special order
on request

Heights available

2' (2 wires)
3' (4 wires)
4' (4 or 5 wires)



Complete or mixed load available

6



Britton Lumber Company Inc.

1-800-343-5300

Cedar Mulch

Advantages and benefits

We at Bardobec are proud to offer cedar mulch that is manufactured exclusively from the recovery of cedar raw materials. It mainly comes from cedar log bark, recovered during our shingle production. Our cedar mulch is proof of our commitment to the protection of the environment.

As well as being of completely natural origin and 100% environmentally friendly, cedar mulch also helps soil to retain moisture. This property is a considerable advantage for any exterior landscaping. Cedar mulch also inhibits the growth of weeds and protects plants from insects. It is useful as an insulator to protect plant and shrub roots during the fall and winter months. Its ease of installation is much appreciated by consumers, as is its low maintenance level and its modern, decorative appearance.

Cedar mulch lasts for a maximum of 5 to 7 years. It is nonetheless recommended to add to it, as needed, every two years in order to maintain a soil covering at least 3 inches thick. This is recommended to maximize the many benefits that mulch offers. Bardobec's cedar mulch is available in bags of 2 cu ft and 3 cu ft.

Some advantages of cedar mulch:

- It is 100% natural and environmentally friendly
- It helps cut down on weeds and insects
- It helps soil to retain moisture
- It insulates roots
- It is decorative and attractive
- It is easy to install and has a low maintenance level

Maintenance:

- Keep a three-inch soil covering
- Add to every 2 years
- Change completely every 5 to 7 years



Every year we are able to produce more and more cedar mulch of the very highest quality. Our current facilities allow us to meet our distributors' demands quickly and efficiently. And you won't have to worry about stock shortages, thanks to the rigorous nature of our daily production management. You can, therefore, rest assured that you will receive your order exactly as negotiated.



Britton Lumber Company Inc.

Complete or mixed load available

1-800-343-5300 7



Britton Lumber Company, Inc.

*Northern New England
distributor for Les Bois Treates MG*

*Treated Lattice, Deck Accessories,
Mail Box Posts, Natural Picnic Tables
Eastern White Cedar Shingles & Shims and Snow Fences.*

Products treated with ACQ Preserve by Viance

*Please contact Britton Lumber Company, Inc.
with inquiries including warehouse shipments,
drop shipments and straight truck loads.*

*Note not all products shown in the brochure
are inventoried by Britton Lumber*

Vermont Yard

**7 Ely Road, P.O. Box 389
Fairlee, VT 05045**

Maine Yard

**218 Yarmouth Road (Rt 115)
Gray, Maine 04039**

800 343-5300

802 333-4388

**www.brittonlumber.com
elally@brittonlumber.com**